

This document contains the known SNPP access points that can be used with *FirstPAGE*. Please send any questions, problems or additions to: support@SeQent.com

Provider	DNS Name	Port	Level	Notes
AAA	wirelessgate.snpp.net	444		
Advanced Paging	205.247.109.35	444		Receiver ID: 10-digit pager number
Advanced Paging	gateway.adv-supr.com	444		Msg length: 230
Airtouch	snpp.airtouch.com	444		Receiver ID: 10-digit pager number
Airtouch	snpp.myairmail.com	444		Receiver ID: 10-digit pager number
AllCom	207.2.221.125	444		Msg length: 245
Alphnow	alphanow.net	444		
Ameritech (now SBC paging)	snpp.americanmessaging.net	444		Receiver ID: 10-digit pager number
Ameritech	snpp.acswireless.com	444		Receiver ID: 10-digit pager number
American Messaging (formerly SBC & Ameritech)	snpp.americanmessaging.net	444		
AT&T Wireless	snpp.attws.net	444		300
Baystar	209.44.230.3	444		Receiver ID: 10-digit pager number
Bell Mobility (USA)	pmcl.net	444		
Cellcom (Midwest Region)	mail.cellcomsms.com	444		Msg length: 160
Central Vermont Communications	216.144.133.40	444		Receiver ID: 10-digit pager number
Cingular	snpp.cingular.com	444		Msg length: 456
Communications Specialist	207.211.107.199	444		Msg length: 240
Communications Specialist	65.83.63.245	444		Msg length: 240
Contact Communications (ISS)	207.140.31.163	444		
Contact Paging (aka SelectPath)	page.contactwireless.com	444		
Cook Paging	67.115.154.70 snpp.cookpaging.com	444		Msg length: 230
DataComm Paging	209.191.211.38	444		
DataPage	63.166.125.242	444		
Digi Page/Page Kansas	Page.pageks.com	444		Receiver ID: 10-digit pager number
Extel Mobile	extel-gsm.com	444		
GCS Paging	www.webpager.us	444		Msg length: 200
GrayLink	epage.graylink.com	444		Receiver ID: 10-digit pager number
Highland Paging	alphapage.cc	444		
Illinois Signal Communications	mail2.illinoisignal.net	444		Pager number preceded by 3 zeros. Pager number 555-1234 would be entered as 0005551234, no spaces or hyphens.



Indiana Paging	64132.76.42. ipnpaging.com	444		PIN@ipn
InfoPage Systems	infopage.cybergs.com	444		Does not support 2-way paging
Infopage Systems	Snpp.infopagesystems.com	444		Receiver ID: 10-digit pager number
Lauttamus Communication	snpp.lauttamus.com	444		Msg length: 250
MetroCall	snpp.metrocall.com	444		Does not support 2-way paging/10-digit pager no. Msg length: 200
Mexico Network	216.194.137.29 or mexmessag. nextelinternational.com	444		
Mobilcom (PA)	snpp.mobilcom.net	444		Msg length: 240
MPW Paging	65.116.154.135	444		Msg length: 120
Muskogee Beeper	216.61.239.140 (uses 10 digit pin)	444		
Network Services	12.29.171.249	444		Receiver ID: 10-digit pager number
Nextel (1-Way)	pecos.Nextel.Com	444	1	Max length 140, Max messages 250
Nextel (2-Way)	snpp.nextel.com	444	1,2,3	Max length 140, Max messages 250 Receiver ID: 10-digit pager number
Northeast Paging	epage.graylink.com or 208.252.22.211	444		230
Northeast Paging / UCOM	snpp.ucom.com	444		



Omni-com Paging	mail.pagerpeople.com	444		
PageMart Canada	Pmcl.net	444		Does not support 2-way paging/10-digit pager no.
PageOne NorthWest	198.107.29.62	444		
PagePlus / Mobilecomm OH	snpp.mobilcomm.tzo.com	444		*7 digit pin
Porta-Phone Paging	epage.porta-phone.com	444		
Priority Communications	mail2.sendalpha.com			
ProPage	page.propage.net			
RCS Communications	rcsma01.rcsepager.com	444		
RCS Communications	63.78.50.141	444		
Rogers	snpp.rogerstwoway.com	444		
Satellink Communications	noisl.satellink.net	444		
SBC (see also American Messaging)	snpp.sbc.com	444		10-digit pager number
SBC Paging (formerly Ameritech - see also American Messaging)	snpp.acswireless.com	444		
Skytel	snpp.skytel.com	7777		7-digit PIN number
ST Paging	page.stpaging.com	444		Msg length: 500
Telebeep	65.116.108.6	444		
Tele-Trak	pager.tele-trak.com	444		PIN-number
TSCNet	kes.tscnet.com	444		
TSR Wireless/Network Services	snpp.ucom.com	444		
UCOM	208.252.22.211	444		7-digit PIN number
UCP	alphanow.net	444		
Verizon Pagers	snpp.myairmail.com	444		10-digit pager number
WebLink Wireless	pagemart.net	444		Does not support 2-way paging/10-digit pager no.
WebLink 2-way	airmessage.net	444		Receiver ID: 10-digit pager no.

